Product sheet

HK/FDC | 300205

Description	HK/FDC HK HK/FDC B IgM CD40 B FDC
Organism	
Tissue	
Disease	
Metastatic site	
Applications	B FDC B B FDC
Age	
Gender	
Ethnicity	
Morphology	Fibroidal
Cell type	
Growth properties	
Citation	Immortalized HK/FDC Cytion 300205
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_IY38

HK/FDC | 300205

GMO Status	GMO-S1 HK/FDC Cytion/Inscreenex
Viruses	Cytion Inscreenex i.A.
Culture Medium	DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES w: 0.5 mM w: 1.2 g/L $NaHCO_3$ Cytion
Supplements	10% FBS
Dissociation Reagent	Accutase
Doubling time	24 48
Split ratio	1 3
Seeding density	1 3×10^4 /cm^2
Fluid renewal	2 3
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

HK/FDC | 300205

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR