# Product sheet

## UM-SCC-125 | 305724

| | |
|---|---|
| **Description** | UM-SCC-125 UM-SCC HNSCC UM-SCC HNSC<br>HNSCC UM-SCC |
| **Organism** | |
| **Tissue** | |
| **Disease** | HNSCC |
| **Applications** | HNSCC UM-SCC |
| **Age** | |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Cell type** | |
| **Growth properties** | |
| **Citation** | UM-SCC-125 Cytion 305724 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |

## Product sheet

## UM-SCC-125 | 305724

| | |
|---|---|
| **Culture Medium** | DMEM 4.5 g/L 4 mM L- 3.7 g/L $NaHCO_3$ 1.0 mM Cytion 820300a |
| **Supplements** | 10% FBS |
| **Dissociation Reagent** | Accutase 10 37°C |
| **Doubling time** | 24 48 |
| **Subculturing** | PBS Accutase 8–10 300×g 3 |
| **Split ratio** | 1 5 |
| **Seeding density** | 1 $3 \times 10^4/cm^2$ |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | 10% DMSO |
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 200 x g 5<br>7. |

## UM-SCC-125 | 305724

| | | | |
|---|---|---|---|
| **Incubation Atmosphere** | 37°C 5% $CO_2$ | | |
| **Shipping Conditions** | | | −78 °C |
| **Storage Conditions** | | −150 −196 °C | −80 °C |