Product sheet

K7M2 wt-Luc | 305684

Description	K7M2 wt-Luc K7M2 K7M2 BALB/c K7M2 wt-Luc BALB/c BLI K7M2 wt-Luc K7M2 C3 Fc γ I (FcgRI)
Organism	
Tissue	
Disease	
Metastatic site	
Applications	BALB/c C3 FcgRI
Synonyms	K7M2-WT K7M2

Breed/Subspecies	BALB/c
Age	895
Gender	
Cell type	
Growth properties	

Citation	K7M2 wt-Luc Cytion 305684
Biosafety level	1
NCBI_TaxID	10090

K7M2 wt-Luc | 305684

CellosaurusAccession	K7M2 wt-Luc	K7M2	BALB/c		
GMO Status	GMO-S1			Luc2	1–5 µg/mL

Receptors expressed	(C3) Fc IgG I (Fcgr1)
Antigen expression	Luc2
Tumorigenic	

Culture Medium	DMEM										
Supplements	10%	FBS									
Dissociation Reagent	Accutase										
Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1–2	T75	
Split ratio	1 3										
Seeding density	1 $3 \times 10^4/cm^2$										
Fluid renewal	2 3										
Freeze medium	10%	DMSO									

K7M2 wt-Luc | 305684

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 200 x g 5 7.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C