Product sheet

NCI-H1299-RFP | 300272

Description	DAPK1 NCI-H1299 RFP RNA RNA TINAT- TINAT DNA DAC SB939
Organism	
Tissue	
Disease	
Metastatic site	
Applications	DAPK1 DNMTi HDACi TINATs CAGE
Morphology	
Cell type	
Growth properties	

Citation	NCI-H1299-EGFP G418 DKFZ # P-1045 Cytion 300272
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_XB25
GMO Status	GMO-S1 NCI-H1299 DKFZ #P-1045 DAPK1 EGFP G418 cassete

NCI-H1299-RFP | 300272

Culture Medium	RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	Accutase
Doubling time	24 36
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Split ratio	1 5
Seeding density	1 3×10^4 /cm²
Fluid renewal	2 3
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.

NCI-H1299-RFP | 300272

Incubation Atmosphere	37°C 5% CO_2		
Shipping Conditions			−78 °C
Storage Conditions		−150 −196 °C	−80 °C

Sterility	PCR