

**MH-3924A | 500286**

<b>Description</b>	MH3924A	Morris	3924A	HCC	HCC	MH3924A
	MH3924A			FK506		CXCR4
	MH3924A	/	hNIS			HCC

<b>Organism</b>	
<b>Tissue</b>	

<b>Disease</b>	
<b>Synonyms</b>	MH 3924A MH3924A MH-3924 A MH 3924 A 3924A 3924A MH-3924 MH3924 MH 3924

<b>Breed/Subspecies</b>	ACI
-------------------------	-----

<b>Age</b>	16
------------	----

<b>Gender</b>	
---------------	--

<b>Morphology</b>	
-------------------	--

<b>Growth properties</b>	
--------------------------	--

<b>Citation</b>	MH-3924A Cytion 500286
-----------------	------------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10116
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_5799
-----------------------------	-----------

MH-3924A | 500286

<b>Tumorigenic</b>	ACI-rat											
<b>Viruses</b>	PCR	RAP	FL	K87							-	
<b>Culture Medium</b>	DMEM	4.5 g/L	4 mM L-	3.7 g/L NaHCO <sub>3</sub>	1.0 mM	Cytion	820300a					
<b>Supplements</b>	10%		FBS									
<b>Dissociation Reagent</b>	Accutase											
<b>Doubling time</b>	25 35											
<b>Subculturing</b>			PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75
<b>Seeding density</b>	2 × 10 <sup>4</sup> /cm <sup>2</sup>											
<b>Fluid renewal</b>	3 5											
<b>Post-Thaw Recovery</b>			2xT25		24 48							
<b>Freeze medium</b>	FBS + 10% DMSO				CM-1 Cytion			800100				

MH-3924A | 500286

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation Atmosphere**

37°C 5% CO<sub>2</sub>

**Shipping Conditions**

-78 °C

**Storage Conditions**

-150 -196 °C

-80 °C

**Sterility**

PCR