

| 300439

**Description**

**Organism**

**Tissue**

**Disease**

**Synonyms** NAMALWA Namalwa IV Namalva NAMALVA NWA NK62a

**Age**

**Gender**

**Morphology**

**Cell type** B

**Growth properties**

**Citation** Namalwa Cytion 300439

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0067

**Products** IG-M

**Karyotype** 2n = 46

| 300439

<b>Culture Medium</b>	RPMI 1640	2.0 mM	2.0 g/L NaHCO <sub>3</sub>	Cytion	820700a
-----------------------	-----------	--------	----------------------------	--------	---------

<b>Supplements</b>	10%
--------------------	-----

<b>Subculturing</b>	5 /	5 × 10	3 × 10 <sup>5</sup>	1 × 10 <sup>6</sup> /
---------------------	-----	--------	---------------------	-----------------------

<b>Seeding density</b>	1 × 10 <sup>5</sup> /
------------------------	-----------------------

<b>Fluid renewal</b>	2
----------------------	---

<b>Post-Thaw Recovery</b>	
---------------------------	--

<b>Freeze medium</b>	FBS + 10% DMSO	CM-1 Cytion	800100
----------------------	----------------	-------------	--------

<b>Thawing and Culturing Cells</b>	1.			
	2.	-150°C		3
	3.		37°C	40-60
	4.			70%
	5.		8	15
	6.	300 x g	3	
	7.	10		T25
	8.			T25

<b>Incubation Atmosphere</b>	37°C	5% CO <sub>2</sub>
------------------------------	------	--------------------

| 300439

---

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 °C

-80 °C

**Sterility**

PCR