Product sheet

HEK293T | 300189

Description	HEK 293T HEK 293 HEK-293T SV40 T 293 HEK293 293 293T HEK293T SV40 293T AP 293T 293T
Organism	
Tissue	
Applications	
Synonyms	Hek293T HEK-293T HEK 293T HEK-293-T HEK 293 T 293-T 293 T 293T 293T 293tsA1609neo
Age	
Gender	
Morphology	
Growth properties	
Citation	HEK293T Cytion 300189
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0063
GMO Status	GMO-S1 HEK293T SV40

Product sheet

HEK293T | 300189

Receptors expressed	
Protein expression	CEA p53
Tumorigenic	

Culture Medium	EMEM MEM Eagle 2 mM L- 2.2 g/L $NaHCO_3$ EBSS Cytion 820100a
Supplements	10% FBS 1% NEAA
Dissociation Reagent	Accutase
Doubling time	30
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Seeding density	1×10^4 /cm^2 4
Fluid renewal	2
Post-Thaw Recovery	5×10^4 /cm^2 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

HEK293T | 300189

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR