Product sheet

NCI-H2126 | 300639

Description	NCI-H2126 NSCLC NCI-H2126 6q 13q NSCLC NCI-H2126 NSCLC
Organism	
Tissue	
Disease	
Metastatic site	
Applications	3D
Synonyms	H-2126 NCIH2126 NCI-H2126

Age	65
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	NCI-H2126 Cytion 300639
Biosafety level	2
NCBI_TaxID	9606

NCI-H2126 | 300639

CellosaurusAccession	CVCL_1532
Isoenzymes	AK-1, 1, ES-D, 1-2, G6PD, B, GLO-I, 2, Me-2, 0, PGM1, 1-2, PGM3, 2
Tumorigenic	
Viruses	EBV
Ploidy status	
Culture Medium	DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES w: 0.5 mM w: 1.2 g/L $NaHCO_3$ Cytion
Supplements	5% FBS 0.005 mg/mL 0.01 mg/mL 30 nM 10 nM 10 nM β-
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

NCI-H2126 | 300639

Thawing and Culturing Cells

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
8.

Incubation Atmosphere

37°C 5% CO_2

Shipping Conditions

−78 °C

Storage Conditions

−150 −196 °C −80 °C

Sterility

PCR