

**HK-CRISPR-NUP205-mEGFP | 301574**

<b>Description</b>	HK-CRISPR-NUP205-mEGFP	205	NUP205	CRISPR-Cas9
	NUP205	mEGFP	NUP205	
	HK-CRISPR-NUP205-mEGFP	-		

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Applications** NPC NUP205 mEGFP CRISPR - NPC

**Synonyms** HK-CRISPR-NUP205-mEGFP #81

**Age** 30

**Gender**

**Ethnicity**

**Morphology**

**Cell type**

**Growth properties**

**Citation** HK-CRISPR-NUP205-mEGFP Cytion 301574

**Biosafety level** 1

**HK-CRISPR-NUP205-mEGFP | 301574**

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_UR49
-----------------------------	-----------

<b>Depositor</b>	EMBL
------------------	------

<b>GMO Status</b>	GMO-S1	HeLa Kyoto	NUP205	CRISPR	mEGFP
-------------------	--------	------------	--------	--------	-------

<b>Products</b>	EGFP
-----------------	------

<b>Culture Medium</b>	DMEM	4.5 g/L	4 mM L-	3.7 g/L NaHCO <sub>3</sub>	1.0 mM	Cytion	820300a
-----------------------	------	---------	---------	----------------------------	--------	--------	---------

<b>Supplements</b>	10%	FBS
--------------------	-----	-----

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>		PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75
---------------------	--	-----	-----	-----	-----	-----	------	----------	-----	-----	-----

<b>Fluid renewal</b>	2	3
----------------------	---	---

<b>Freeze medium</b>		FBS + 10% DMSO		CM-1	Cytion	800100
----------------------	--	----------------	--	------	--------	--------

HK-CRISPR-NUP205-mEGFP | 301574

<b>Thawing and Culturing Cells</b>	1.					
	2.		-150°C		3	
	3.			37°C	40-60	
	4.				70%	
	5.			8	15	
	6.	300 x g	3			
	7.	10			T25	T25
	8.					

**Incubation Atmosphere**

37°C 5% CO<sub>2</sub>

<b>Shipping Conditions</b>					-78 °C
----------------------------	--	--	--	--	--------

**Storage Conditions**

-150 -196 °C

-80 °C

<b>Sterility</b>					
			PCR		