

Product sheet

SCLC-22H | 300445

Description	SCLC-22H	SCLC	SCLC	SCLC	SCLC-22H
	SCLC-22H	NSE	CEA	bombesin	-BB CK-BB
	SCLC-22H	SCLC	SCLC		
Organism					
Tissue					
Disease					
Metastatic site					
Synonyms	SCLC22H				
Age	46				
Gender					
Ethnicity					
Morphology					
Growth properties					
Citation	SCLC-22H	Cytion	300445		
Biosafety level	1				
NCBI_TaxID	9606				
CellosaurusAccession	CVCL_2186				

SCLC-22H | 300445

Tumorigenic

Reverse
transcriptase

Karyotype 43

Culture Medium	RPMI 1640	2.0 mM	2.0 g/L NaHCO ₃	Cytion	820700a
-----------------------	-----------	--------	----------------------------	--------	---------

Supplements	10%	FBS
--------------------	-----	-----

Subculturing	⁵ /	1 × 10 ⁵	15 × 10 ⁶	/
---------------------	----------------	---------------------	----------------------	---

Seeding density	1 × 10 ⁵	/
------------------------	---------------------	---

Fluid renewal	1	2
----------------------	---	---

Freeze medium	50%	+ 40%	(FBS) + 10%	(DMSO)	CM-1	Cytion	800100
----------------------	-----	-------	-------------	--------	------	--------	--------

Product sheet

SCLC-22H | 300445

Thawing and
Culturing Cells

- | | | | | | |
|----|---------|--------|------|-------|-----|
| 1. | | | | | |
| 2. | | -150°C | | | 3 |
| 3. | | | 37°C | 40-60 | |
| 4. | | | | 70% | |
| 5. | | | 8 | 15 | |
| 6. | 300 x g | 3 | | | |
| 7. | 10 | | | T25 | T25 |
| 8. | | | | | |

Incubation
Atmosphere

37°C 5% CO₂

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 °C

-80 °C

Sterility

PCR