Product sheet

SCLC-22H | 300445

Description	SCLC-22H SCLC SCLC SCLC-22H SCLC-22H NSE CEA bombesin -BB CK-BB SCLC-22H SCLC SCLC
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	SCLC22H

Age	46
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	SCLC-22H Cytion 300445
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_2186

SCLC-22H | 300445

Tumorigenic	
Reverse transcriptase	
Karyotype	43

Culture Medium	RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a
Supplements	10% FBS
Subculturing	5 / 1×10^5 15×10^6 /
Seeding density	1×10^5 /
Fluid renewal	1 2
Freeze medium	50% + 40% (FBS) + 10% (DMSO) CM-1 Cytion 800100

SCLC-22H | 300445

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR