Product sheet

C127I | 400134

Description	C127I BALB/c C127I C127I C127I
Organism	
Tissue	
Disease	
Applications	DNA
Synonyms	C 1271 C-127I C-127 I CNC 127I

Breed/Subspecies	RIII
Gender	
Morphology	
Growth properties	

Citation	C127I Cytion 400134
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_3882
GMO Status	GMO-S1 C127I T7 RNA CFTR C127

C127I | 400134

Viruses	ectromelia virus
Virus susceptibility	
Reverse transcriptase	

Culture Medium	DMEM	4.5 g/L	4 mM L-	3.7 g/L $NaHCO_3$	1.0 mM	Cytion	820300a						
Supplements		10%	FBS										
Dissociation Reagent	Accutase												
Subculturing				PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1–2	T75
Fluid renewal	2	3											
Post-Thaw Recovery		5×10^4 /cm^2				24							
Freeze medium				FBS	+ 10% DMSO				CM-1	Cytion	800100		

Thawing and Culturing Cells

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
8.

Incubation Atmosphere

37°C 5% CO_2

Shipping Conditions

−78 °C

Storage Conditions

−150 −196 °C −80 °C

Sterility

PCR