Product sheet

MSTO-211H | 300450

Description	MSTO-211H MSTO-211H EGF MSTO-211H NSE MSTO-211H NSE
Organism	
Tissue	
Disease	
Synonyms	MSTO-211 H MSTO211H MSTO-211 211H MeSoTheliOma-211H

Age	62
Gender	
Ethnicity	
Growth properties	

Citation	MSTO-211H Cytion 300450
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1430

Protein expression	EGF NSE HCG α β L- DDC

MSTO-211H | 300450

Tumorigenic	MSTO-211H 20%
Karyotype	= 72 = 70 78

Culture Medium	RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	Accutase
Doubling time	20
Subculturing	400,000 PBS T25 3-5 PBS T75 5-10
Seeding density	1×10^4 /cm^2
Fluid renewal	2 3
Post-Thaw Recovery	^{4} /cm^2 5×10 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR