**Product sheet**

# KHOS-NP | 300235

| | |
|---|---|
| **Description** | KHOS-NP Ki-MSV HOS KHO<br>KHOS-NP Ki-MSV<br>KHOS-NP $10^7$ 21 100% KHOS-NP |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Synonyms** | KHOS/NP KHOS NP KHOSNP R-970-5 KHOS |
| **Age** | 13 |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Growth properties** | |
| **Citation** | KHOS-NP Cytion 300235 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_2546 |

**Product sheet**

## KHOS-NP | 300235

| | |
|---|---|
| **Tumorigenic** | |
| **Culture Medium** | EMEM MEM Eagle 2 mM L- 2.2 g/L $NaHCO_3$ EBSS Cytion 820100a |
| **Supplements** | 10% FBS 1% NEAA |
| **Dissociation Reagent** | Accutase |
| **Subculturing** | PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75 |
| **Seeding density** | $2 \times 10^4$ /$cm^2$ |
| **Fluid renewal** | 2 3 |
| **Post-Thaw Recovery** | $^4$ /cm$^2$ $\times$ 10 24 |
| **Freeze medium** | FBS + 10% DMSO CM-1 Cytion 800100 |

## KHOS-NP | 300235

| | |
|---|---|
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |
| **Incubation Atmosphere** | 37°C 5% $CO_2$ |
| **Shipping Conditions** | −78 °C |
| **Storage Conditions** | −150 −196 °C −80 °C |
| **Sterility** | PCR |