# Product sheet

## L1210 | 400257

| | |
|---|---|
| **Description** | L1210 L1210<br>L1210<br>L1210 L1210 |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Synonyms** | L 1210 L-1210 1210 L1210 |
| **Breed/Subspecies** | DBA/2 |
| **Age** | 8 |
| **Gender** | |
| **Cell type** | |
| **Growth properties** | |
| **Citation** | L1210 Cytion 400257 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10090 |
| **CellosaurusAccession** | CVCL_0382 |

## Product sheet

## L1210 | 400257

| | |
|---|---|
| **Tumorigenic** | DBA |
| **Viruses** | MAP Ektromelie K Kilham Reo 3 PVM LCM MVM GD VII H-1 MHV L |
| **Culture Medium** | DMEM 4.5 g/L 4 mM L- 3.7 g/L $NaHCO_3$ 1.0 mM Cytion 820300a |
| **Supplements** | 10% |
| **Doubling time** | 10 12 |
| **Subculturing** | $^5$ / 5 × 10 3 × $10^5$ 1 × $10^6$ / |
| **Seeding density** | 0.3 1 × $10^6$ / |
| **Fluid renewal** | 3 4 |
| **Post-Thaw Recovery** | |
| **Freeze medium** | FBS + 10% DMSO CM-1 Cytion 800100 |

| | |
|---|---|
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |
| **Incubation Atmosphere** | 37°C 5% $CO_2$ |
| **Shipping Conditions** | −78 °C |
| **Storage Conditions** | −150 −196 °C −80 °C |
| **Sterility** | PCR |