

NCI-H1568 | 305137

**Description** 1986 12

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** NCI-H1568 H-1568 NCIH1568

**Age** 48

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** NCI-H1568 Cytion 305137

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1476

NCI-H1568 | 305137

<b>Culture Medium</b>	RPMI 1640	2.0 mM	2.0 g/L NaHCO <sub>3</sub>	Cytion	820700a
-----------------------	-----------	--------	----------------------------	--------	---------

**Supplements** 10% FBS

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

**Doubling time** 42.5

<b>Subculturing</b>	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----

**Fluid renewal** 2 3

<b>Freeze medium</b>	FBS + 10% DMSO	CM-1	Cytion	800100
----------------------	----------------	------	--------	--------

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

<b>Incubation Atmosphere</b>	37°C	5% CO <sub>2</sub>
------------------------------	------	--------------------

**Shipping Conditions** -78 °C

NCI-H1568 | 305137

**Storage  
Conditions**

-150 -196 °C

-80 °C

**Sterility**

PCR