

DSL-6B-C2 | 500167

Description	DSL-6B/C2	DSL-6	Lewis	1986
	DSL-6B/C2			

Organism

Tissue

Disease

Metastatic site

Synonyms	DSL-6B/C2 DSL6B/C2
-----------------	--------------------

Breed/Subspecies

Age	2
------------	---

Gender

Morphology

Cell type

Growth properties

Citation	DSL-6B-C2 Cytion 500167
-----------------	-------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	10116
-------------------	-------

CellosaurusAccession	CVCL_4167
-----------------------------	-----------

DSL-6B-C2 | 500167

Tumorigenic

Products

Culture Medium DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO₃ Cytion

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75

Seeding density 1×10^4 /cm²

Fluid renewal 2

Post-Thaw Recovery 4×10^4 /cm² 24

Freeze medium FBS + 10% DMSO CM-1 Cytion 800100

DSL-6B-C2 | 500167

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.			37°C	40-60
4.				70%
5.			8	15
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere

37°C 5% CO₂

Shipping Conditions	
	-78 °C

Storage Conditions

-150 -196 °C

-80 °C

Sterility	
	PCR