# Product sheet

## HT-1376 | 305100

| | |
|---|---|
| **Description** | HT-1376 3 HT-1376<br>HT-1376 9p21 CDKN2 CDKN2B MTAP<br>HT-1376 HT-1376 |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Synonyms** | HT1376 HT 1376 HT 1376.T |
| **Age** | 58 |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Growth properties** | |
| **Citation** | HT-1376 Cytion 305100 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_1292 |

## Product sheet

## HT-1376 | 305100

| | |
|---|---|
| **Protein expression** | |
| **Tumorigenic** | |
| **Culture Medium** | EMEM MEM Eagle 2 mM L- 2.2 g/L $NaHCO_3$ EBSS Cytion 820100a |
| **Supplements** | 10% FBS 1% NEAA |
| **Dissociation Reagent** | Accutase |
| **Doubling time** | 31 |
| **Subculturing** | PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75 |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | FBS + 10% DMSO CM-1 Cytion 800100 |
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |

## HT-1376 | 305100

| | | | |
|---|---|---|---|
| **Incubation Atmosphere** | 37°C 5% $CO_2$ | | |
| **Shipping Conditions** | | | −78 °C |
| **Storage Conditions** | | −150 −196 °C | −80 °C |
| **Sterility** | PCR | | |