# Product sheet

## CCRF-CEM-C7 | 300398

| | |
|---|---|
| **Description** | CCRF-CEM-C7 CCRF-CEM CCRF-CEM T ALL 4 ALL<br>CCRF-CEM-C7 T T T DN<br>CCRF-CEM-C7 T T |
| **Organism** | |
| **Tissue** | |
| **Disease** | T |
| **Synonyms** | CCRF-CEM C7 CCRF/CEM-C7 CEM-C7 CEM C7 CEMC7 CEM 7 |
| **Age** | 3 11 |
| **Gender** | |
| **Ethnicity** | |
| **Growth properties** | |
| **Citation** | CCRF-CEM-C7 Cytion 300398 |
| **NCBI_TaxID** | 9606 |
| **CellosaurusAccession** | CVCL_6825 |

## Product sheet

## CCRF-CEM-C7 | 300398

| | |
|---|---|
| **Culture Medium** | RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a |
| **Supplements** | 10% FBS |
| **Dissociation Reagent** | Accutase |
| **Subculturing** | PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75 |
| **Freeze medium** | FBS + 10% DMSO CM-1 Cytion 800100 |
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |
| **Incubation Atmosphere** | 37°C 5% $CO_2$ |
| **Shipping Conditions** | −78 °C |
| **Storage Conditions** | −150 −196 °C −80 °C |

## CCRF-CEM-C7 | 300398

| | |
|---|---|
| **Sterility** | PCR |