Product sheet

WI-38 | 300428

Description	WI-38 ——WI 38VA13 2RA 300421 WI-38 1962 3 WI-38 WI-38 Merck Sanofi Pasteur Imovax WI-38 50 24 WI-38 WI-38
Organism	
Tissue	
Metastatic site	
Applications	
Synonyms	Wi-38 WI38 Wistar Institute-38 AG06814E AG06814G AG06814H AG06814-J AG06814J AG06814-M AG06814-N
Age	3
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	
Citation	WI 38 Cytion 300428

Product sheet

WI-38 | 300428

Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0579
GMO Status	50

Culture Medium	EMEM MEM Eagle 2 mM L- 2.2 g/L $NaHCO_3$ EBSS Cytion 820100a
Supplements	10% FBS 1% NEAA
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Split ratio	1 5
Seeding density	3 5×10^3 /cm^2
Fluid renewal	2 3
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR