

FRTL | 500202

**Description**

FRTL Fischer

FRTL

FBS

-1-

**Organism**

**Tissue**

**Synonyms**

FRT-L FR-TL

**Breed/Subspecies**

**Age**

6

**Gender**

**Growth properties**

**Citation**

FRTL Cytion 500202

**Biosafety level**

1

**NCBI\_TaxID**

10116

**CellosaurusAccession**

CVCL\_5753

**Tumorigenic**

**Products**

FRTL | 500202

**Karyotype**

**Culture Medium** Ham's F12 1.0 mM 1.0 mM 1.1 g/L NaHCO<sub>3</sub> Cytion 820600a

**Supplements** 0.5% FBS 10 / 5 / 50 / 10 / 10 / - - 0.0165 /

**Dissociation Reagent** Accutase

**Doubling time** 5 7

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75

**Fluid renewal** 3

**Post-Thaw Recovery** 4 5/10 48

**Freeze medium** FBS + 10% DMSO CM-1 Cytion 800100

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

FRTL | 500202

**Incubation  
Atmosphere**

37°C 5% CO<sub>2</sub>

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 °C

-80 °C

**Sterility**

PCR