Product sheet

Hep-CLS-C9 | 400195

Description	C3H/HE N- NDEA C3H/HE
Organism	
Tissue	
Disease	
Synonyms	HEP-CLS-C9 C9

Breed/Subspecies	C3H/HE
Age	
Gender	
Morphology	
Growth properties	

Citation	Hep-CLS-C9 Cytion 400195
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5776

Tumorigenic	C3H/HE

Hep-CLS-C9 | 400195

Mutational profile	P53
Culture Medium	RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Seeding density	1×10^4 /cm^2
Fluid renewal	3 5
Post-Thaw Recovery	5×10^4 /cm^2 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

Hep-CLS-C9 | 400195

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR