Product sheet

HK EGFP-H2B | 300673

Description	HK EGFP-H2B Hela Kyoto EGFP H2B EGFP EGFP-H2B HK EGFP-H2B
Organism	
Tissue	
Disease	
Synonyms	HeLa Kyoto H2B-EGFP HeLa Kyoto H2B EGFP HeLa-H2B-GFP

Age	30
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	HK EGFP-H2B Cytion 300673
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1D63
Depositor	EMBL

HK EGFP-H2B | 300673

GMO Status	GMO-S1 HeLa Kyoto EGFP-H2B
Protein expression	EGFP-H2B 1..589 / Pcmv 613..1329 / EGFP 1387..1764 / H2B 3001..3795 / KanR/NeoR
Products	CMV H2B
Culture Medium	DMEM 4.5 g/L 4 mM L- 3.7 g/L $NaHCO_3$ 1.0 mM Cytion 820300a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Seeding density	1×10^4 /cm^2
Fluid renewal	2 3
Post-Thaw Recovery	5×10^4 /cm^2 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

HK EGFP-H2B | 300673

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR