Product sheet

SK-N-BE(2) | 305058

Description	β- SK-N-BE(2) 1×10^6 /cm^2
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	SK-N-BE2 SK-N-BE-2 SKNBE(2) SKNBE-2 SKNBE2 SK-N-BE SKNBE
Age	2
Gender	
Ethnicity	
Morphology	
Growth properties	
Citation	SK-N-BE(2) Cytion 305058
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0528
Tumorigenic	

Product sheet

SK-N-BE(2) | 305058

Culture Medium	EMEM Ham's F12 50:50 Cytion 820100a 820600a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	15 PBS T25 3-5 T75 5-10 Accutase T25 1–2 T75
Fluid renewal	2 3
Freeze medium	50% + 40% (FBS) + 10% (DMSO) CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C

SK-N-BE(2) | 305058

Storage Conditions	−150 −196 °C		−80 °C
Sterility	PCR		