Product sheet

WEHI-164 | 400438

Description	WEHI-164 BALB/c 3- WEHI-164 WEHI-164 TNF TRAIL TNF WEHI-164 WEHI-16
Organism	
Disease	
Synonyms	WEHI 164 WEHI164 WEHI 164 TC
Breed/Subspecies	BALB/c
Morphology	
Cell type	
Growth properties	
Citation	WEHI-164 Cytion 400438
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_2251
Tumorigenic	Balb/c

WEHI-164 | 400438

Culture Medium	RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Seeding density	1×10^4 /cm^2
Fluid renewal	2 3
Post-Thaw Recovery	5×10^4 /cm^2 48
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2

WEHI-164 | 400438

Shipping Conditions		−78 °C
Storage Conditions	−150 −196 °C	−80 °C
Sterility	PCR	