Product sheet

L5178-R | 400258

Description	L5178-R L5178-R L5178-R
Organism	
Tissue	
Disease	
Synonyms	L5178Y-R L5178YR L-5178-Y-R LY-R LYR

Breed/Subspecies	DBA/2
Morphology	
Cell type	T
Growth properties	

Citation	L5178-R Cytion 400258
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_4234

Tumorigenic	DBA/2

L5178-R | 400258

Viruses	MAP Ektromelie K Kilham Reo 3 PVM LCM MVM GD VII H-1 MHV L
Culture Medium	RPMI 1640 2.0 mM 2.0 g/L $NaHCO_3$ Cytion 820700a
Supplements	10% FBS 1 mM 1% NEAA
Subculturing	^{5} / 5 × 10 3 × 10^5 1 × 10^6 /
Seeding density	1 × 10^6 /
Fluid renewal	3
Post-Thaw Recovery	2 4
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100
Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.

L5178-R | 400258

Incubation Atmosphere	37°C 5% CO_2		
Shipping Conditions			−78 °C
Storage Conditions		−150 −196 °C	−80 °C

Sterility	PCR