

FRTL-5 | 500407

Description	FRTL-5			TSH	TSH
		FRTL-5			
	FRTL-5	Graves' disease			

Organism

Tissue

Synonyms FRTL 5 FRTL5 FRTL-5 Cl 2

Breed/Subspecies

Age 6

Gender

Growth properties

Citation FRTL-5 Cytion 500407

Biosafety level 1

NCBI_TaxID 10116

CellSaurusAccession CVCL_0265

FRTL-5 | 500407

Culture Medium	Ham's F12	1.0 mM	1.0 mM	1.1 g/L NaHCO ₃	Cytion	820600a
-----------------------	-----------	--------	--------	----------------------------	--------	---------

Supplements	5%	FBS	10 /	5 /	50 /	10 /	10 /	-	-	0.0165 /
--------------------	----	-----	------	-----	------	------	------	---	---	----------

Dissociation Reagent	Accutase
-----------------------------	----------

Doubling time	30-34
----------------------	-------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----

Freeze medium	FBS + 10% DMSO	CM-1	Cytion	800100
----------------------	----------------	------	--------	--------

Thawing and Culturing Cells	1.									
	2.		-150°C					3		
	3.			37°C		40-60				
	4.					70%				
	5.			8		15				
	6.	300 x g	3							
	7.		10			T25		T25		
	8.									

Incubation Atmosphere	37°C	5% CO ₂
------------------------------	------	--------------------

Shipping Conditions	-78 °C
----------------------------	--------

Storage Conditions	-150 -196 °C	-80 °C
---------------------------	--------------	--------

FRTL-5 | 500407

Sterility

PCR