HEK293 | 300686

Description	HEK293 293 HEK293 HE HEK293 HEK293
Organism	
Tissue	
Applications	
Age	
Gender	
Morphology	
Growth properties	
Citation	HEK293 Cytion 300686
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0045
GMO Status	GMO-S1 HEK293 HEK293 5 E1

HEK293 | 300686

Receptors expressed	
Protein expression	CEA p53
Tumorigenic	
Virus susceptibility	5 DNA 5 DNA
Culture Medium	Panserin 293S PanBiotech
Supplements	
Dissociation Reagent	
Subculturing	5×10^5 $2–3 \times 10^6$ / Eppendorf ^{6} /ml 37°C/5% CO_2 200xg 5 $1–2 \times 10^6$ 1°C/
Seeding density	5×10^5 /
Post-Thaw Recovery	5×10^5 / ^{6} / $2–3 \times 10^6$ 37°C 5% CO_2 100–150 rpm
Freeze medium	10% DMSO

HEK293 | 300686

Thawing and Culturing Cells

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 200 x g 5
7.

Incubation Atmosphere

37°C 5% CO_2

Shipping Conditions

−78 °C

Storage Conditions

−150 −196 °C −80 °C

Sterility

PCR