

**SK-UT-1B** | 300406

**Description** SK-UT-1

**Organism**

**Tissue**

**Disease** III

**Synonyms** SKUT1B SK-UT 1B SKUT-1B Skut1B

**Age** 75

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** SK-UT-1B Cytion 300406

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_2250

**Isoenzymes** Me-2 1-2 PGM3 1 PGM1 1 ES-D 1 AK-1 1 GLO-1 1-2 G6PD B 0.0590

**Tumorigenic**

SK-UT-1B | 300406

**Karyotype** (P27)

**Culture Medium** EMEM MEM Eagle 2 mM L- 2.2 g/L NaHCO<sub>3</sub> EBSS Cytion 820100a

**Supplements** 10% FBS 1% NEAA

**Dissociation Reagent** Accutase

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75

**Post-Thaw Recovery**  $\frac{4}{cm^2} \times 10^6$  24

**Freeze medium** FBS + 10% DMSO CM-1 Cytion 800100

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

**Incubation Atmosphere** 37°C 5% CO<sub>2</sub>

SK-UT-1B | 300406

**Shipping  
Conditions**

-78 °C

**Storage  
Conditions**

-150 -196 °C

-80 °C

**Sterility**

PCR