Product sheet

PC-3 | 300312

Description	PC3 62 PC-3 PC3 koenimbin PC3 PSA -5-α LNCaP DU145 PSA PC3 PC3 IV PC3
Organism	
Tissue	
Disease	
Metastatic site	
Applications	
Synonyms	PC-3 PC.3
Age	62
Gender	
Ethnicity	
Morphology	
Growth properties	
Citation	PC3 Cytion 300312

Product sheet

PC-3 | 300312

Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0035

Antigen expression	HLA A1 A9
Tumorigenic	
Karyotype	PC3

Culture Medium	DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES w: 0.5 mM w: 1.2 g/L $NaHCO_3$ Cytion
Supplements	5% FBS
Dissociation Reagent	Accutase
Doubling time	40
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Seeding density	3×10^4 /cm^2 ^{2} 1×10^4 /cm
Fluid renewal	2 3
Post-Thaw Recovery	^{4} /cm^2 $\times$ 10 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

PC-3 | 300312

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR