

Product sheet

C3H/10T1/2 | 305164

| | | | | |
|--------------------|------------|---|------------|------------|
| Description | C3H/10T1/2 | 8 | C3H | C3H/10T1/2 |
| | | | C3H/10T1/2 | 8 |

| | |
|-----------------|--|
| Organism | |
| Tissue | |

Synonyms C3H/10T1/2 8 C3H/10T1/2-clone8 C3H/10T1/2 CL8 C3H10T1/2 clone8 C3H10T1/2CL8 10T1/2 8 10T1/2 C3H10T1-2 C3H10T1/2 C3H-10T1/2 C3H 10T1/2 C3H/10T1/2

| | |
|-------------------------|-----|
| Breed/Subspecies | C3H |
|-------------------------|-----|

| | |
|-------------------|--|
| Age | |
| Morphology | |

| | |
|--------------------------|--|
| Growth properties | |
|--------------------------|--|

| | | | | |
|-----------------|------------|---|--------|--------|
| Citation | C3H/10T1/2 | 8 | Cytion | 305164 |
|-----------------|------------|---|--------|--------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|-------|
| NCBI_TaxID | 10090 |
|-------------------|-------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_0190 |
|-----------------------------|-----------|

| | |
|--------------------|--|
| Tumorigenic | |
|--------------------|--|

C3H/10T1/2 | 305164

| | | | | | | | |
|-----------------------|-----|---------|---------|----------------------------|--------|-----|---|
| Culture Medium | BME | 4.5 g/L | 4 mM L- | 1.5 g/L NaHCO ₃ | 1.0 mM | BME |) |
|-----------------------|-----|---------|---------|----------------------------|--------|-----|---|

| | | |
|--------------------|-----|-----|
| Supplements | 10% | FBS |
|--------------------|-----|-----|

| | |
|-----------------------------|----------|
| Dissociation Reagent | Accutase |
|-----------------------------|----------|

| | | | | | | | | | | |
|---------------------|-----|-----|-----|-----|-----|------|----------|-----|-----|-----|
| Subculturing | PBS | T25 | 3-5 | PBS | T75 | 5-10 | Accutase | T25 | 1-2 | T75 |
|---------------------|-----|-----|-----|-----|-----|------|----------|-----|-----|-----|

| | | |
|----------------------|---|---|
| Fluid renewal | 2 | 3 |
|----------------------|---|---|

| | | | | |
|----------------------|----------------|------|--------|--------|
| Freeze medium | FBS + 10% DMSO | CM-1 | Cytion | 800100 |
|----------------------|----------------|------|--------|--------|

| | | | | | | |
|------------------------------------|----|---------|--------|------|-----|-------|
| Thawing and Culturing Cells | 1. | | | | | |
| | 2. | | -150°C | | | 3 |
| | 3. | | | 37°C | | 40-60 |
| | 4. | | | | 70% | |
| | 5. | | | 8 | | 15 |
| | 6. | 300 x g | 3 | | | |
| | 7. | | 10 | | T25 | T25 |
| | 8. | | | | | |

| | | |
|------------------------------|------|--------------------|
| Incubation Atmosphere | 37°C | 5% CO ₂ |
|------------------------------|------|--------------------|

| | |
|----------------------------|--------|
| Shipping Conditions | -78 °C |
|----------------------------|--------|

| | | | |
|---------------------------|------|---------|--------|
| Storage Conditions | -150 | -196 °C | -80 °C |
|---------------------------|------|---------|--------|

C3H/10T1/2 | 305164

Sterility

PCR