

HCC827 | 305041

Description	HCC827	EGFR	HCC827	TKIs
		HCC827	EGFR	

Organism

Tissue

Disease

Synonyms	HCC-827 HCC 827 HCC0827
-----------------	-------------------------

Age	39
------------	----

Gender

Morphology

Growth properties

Citation	HCC827 Cytion 305041
-----------------	----------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_2063
-----------------------------	-----------

Product sheet



HCC827 | 305041

Culture Medium	RPMI 1640	2.0 mM	2.0 g/L NaHCO ₃	Cytion	820700a
-----------------------	-----------	--------	----------------------------	--------	---------

Supplements	10%	FBS
--------------------	-----	-----

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75
---------------------	-----	-----	-----	-----	-----	------	----------	-----	-----	-----

Fluid renewal	2	3
----------------------	---	---

Freeze medium	FBS + 10% DMSO	CM-1	Cytion	800100
----------------------	----------------	------	--------	--------

Thawing and Culturing Cells	1.				
	2.		-150°C		3
	3.		37°C	40-60	
	4.			70%	
	5.		8	15	
	6.	300 x g	3		
	7.	10		T25	T25
	8.				

Incubation Atmosphere	37°C	5% CO ₂
------------------------------	------	--------------------

Shipping Conditions	-78 °C
----------------------------	--------

Storage Conditions	-150	-196 °C	-80 °C
---------------------------	------	---------	--------

HCC827 | 305041

Sterility

PCR