Product sheet

SK-OV-3 | 300342

Description	SK-OV-3 SKOV3 64 —— Trx SK-OV-3 SK-OV-3 M0 M2 SK-OV-3 SK-OV-3 SK-OV-3
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	SKOV-3 SK-OV3 SK.OV.3 SKOV3 Skov3 SKO3

Age	64
Gender	
Ethnicity	
Growth properties	

Citation	SK-OV-3 Cytion 300342
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0532

SK-OV-3 | 300342

Isoenzymes	PGM3, 1, PGM1, 1-2, ES-D, 1, Me-2, 1, AK-1, 1, GLO-1, 1-2, G6PD, B, 0.0311
Tumorigenic	
Karyotype	(P16)

Culture Medium	DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES w: 0.5 mM w: 1.2 g/L $NaHCO_3$ Cytion
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Seeding density	1×10^4 /cm^2
Post-Thaw Recovery	5×10^4 /cm^2 24
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

SK-OV-3 | 300342

Thawing and Culturing Cells

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
8.

Incubation Atmosphere

37°C 5% CO_2

Shipping Conditions

−78 °C

Storage Conditions

−150 −196 °C −80 °C

Sterility

PCR