Product sheet

HROC285 T0 M2 | 300817

Description	2006	Michael Linnebacher	PD Dr.		
Organism					
Tissue	UICC IV		TNM	T4N2M1R2L1V0	G2 Lk(n) +5 Σ Lk(n) 20
Disease					
Synonyms	HROC285				

Age	30
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	HROC285 T0 M2 Cytion 300817
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1U92

Protein expression	PTEN

HROC285 T0 M2 | 300817

Tumorigenic	
Viruses	SV40 JC/BK HBV HCV HIV
MSI-status	MSI-H
Mutational profile	K-Ras N-Ras H-Ras PIK3CA B-Raf EPCAM MSH2 1-6
Culture Medium	DMEM Ham's F12 1:1 3.1 g/L 2.5 mM L- 15 mM HEPES w: 0.5 mM w: 1.2 g/L $NaHCO_3$ Cytion
Supplements	10% FBS
Dissociation Reagent	Accutase
Doubling time	29
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1–2 T75
Seeding density	2×10^4 /cm^2
Fluid renewal	3 5
Post-Thaw Recovery	
Freeze medium	FBS + 10% DMSO CM-1 Cytion 800100

HROC285 T0 M2 | 300817

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C 5% CO_2
Shipping Conditions	−78 °C
Storage Conditions	−150 −196 °C −80 °C
Sterility	PCR