Product sheet

MDA-MB-435S | 300277

Description	**MDA-MB-435** **M14** MDA-MB-435S MDA-MB-435S MDA-MB-435S
Organism	
Tissue	
Disease	
Metastatic site	/ M14
Applications	/
Synonyms	MDA-MB-435s MDA-MB-435 S MDA-MB-435-S MDAMB435S BrCL15

Age	33
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Citation	MDA-MB-435S Cytion 300277
Biosafety level	1

MDA-MB-435S | 300277

NCBI_TaxID	9606
CellosaurusAccession	CVCL_0622
GMO Status	—— MDA-MB-435 M14

Culture Medium	DMEM:Ham's F12 1:1 w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 Cytion 8
Supplements	5% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Split ratio	1 5
Seeding density	1 3×10^4 /cm^2
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

MDA-MB-435S | 300277

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 300 x g 3 7. 10 T25 T25 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C
Sterility	PCR