

Product sheet

MDA-MB-468 | 300279

Description

MDA-MB-468 MDA-MB-468 ER-
MDA-MB-468 TP53 EGFR
MDA-MB-468 TNBC

Organism

Tissue

Disease

Metastatic site

Synonyms MDA-MB 468 MDA-MB468 MDAMB468 MDA-468 MDA468 MB468 MD - -468

Age 51

Gender

Ethnicity

Morphology

Growth properties

Citation MDA-MB-468 Cytion 300279

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0419

Product sheet

MDA-MB-468 | 300279

Culture Medium	DMEM:Ham's F12	1:1	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytion	8			
Supplements	10% FBS											
Dissociation Reagent	Accutase											
Subculturing		PBS	T25	3-5	PBS	T75	5-10	Accutase	T25	1-2	T75	2.5
Fluid renewal	2	3										
Freeze medium	FBS	+10% DMSO	CM-1	Cytion	800100			CM-1	Cytion	800100		
Thawing and Culturing Cells	1.											
	2.		-150°C				3					
	3.		37°C			40-60						
	4.			70%								
	5.		8	15								
	6.	300 x g	3									
	7.	10			T25			T25				
	8.											
Incubation Atmosphere	37°C, 5% CO2,											
Flask Coating												

Product sheet

MDA-MB-468 | 300279

Freezing
Procedure

-78 °C

Shipping
Conditions

-78 °C

Storage
Conditions

-150 -196 -80 °C

Sterility

PCR