

NCI-H2195 | 305259

Description	NCI-H2195	SCLC	NCI-H2195	NCI-H2195
	NCI-H2195			
	NCI-H2195			

Organism

Tissue

Disease

Metastatic site

Synonyms H2195, H-2195

Age	67
------------	----

Gender

Ethnicity

Growth properties

Citation	NCI-H2195 Cytion	305259
-----------------	------------------	--------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_1538

NCI-H2195 | 305259

Mutational profile	TP53 p.Val157Phe c.469G>T
---------------------------	---------------------------

Culture Medium	DMEM:Ham's F12 1:1 w: 3.1 g/L w: 1.6 mM L- w: 15 mM HEPES w: 1.0 mM w: 1.2 g/L NaHCO3 (Cytion 82040
-----------------------	---

Supplements	10%FBS ITS+ 10 nM 10 nM β- L-
--------------------	-------------------------------

Dissociation Reagent	Accutase
-----------------------------	----------

Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
---------------------	---

Split ratio	1:2 1:3
--------------------	---------

Fluid renewal	2
----------------------	---

Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
----------------------	---

Thawing and Culturing Cells	1.
	2. -150°C 3
	3. 37°C 40-60
	4. 70%
	5. 8 15
	6. 300 x g 3
	7. 10 T25 T25
	8.

Product sheet**NCI-H2195 | 305259****Incubation
Atmosphere** 37°C, 5% CO₂**Flask Coating****Freezing
Procedure** -78 °C**Shipping
Conditions** -78 °C**Storage
Conditions** -150 -196 -80 °C/ **/HLA****Sterility** PCR