

CHO-TACD2 | 305415

Description	/ 6,250				
	CHO-TACD2	CHO	TACD2	12,600	“ ” TACD2
		TACD2 TROP2			

Organism

Tissue	
---------------	--

Disease	TACD2/TROP2 GA733-1
----------------	---------------------

Applications	ADC TROP2 / /
---------------------	---------------

Age	
------------	--

Gender	
---------------	--

Morphology	
-------------------	--

Cell type	
------------------	--

Growth properties	/
--------------------------	---

Citation	CHO-TACD2 Cytion 305415
-----------------	-------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	10029
-------------------	-------

CellosaurusAccession	CVCL_A8X3
-----------------------------	-----------

CHO-TACD2 | 305415

GMO Status	GMO-S1	CHO	TACD2
-------------------	--------	-----	-------

Receptors expressed	TACD2	TROP2	GA733-1
----------------------------	-------	-------	---------

Culture Medium	DMEM:Ham's F12 (1:1)	w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES	w: 0.5 mM	w: 1.2 g/L NaHCO3	Cytio
	CHO	A	InSCREENeX	InSCREENeX	INS-ME-1039		

Supplements	5% FBS	G418-	0.5 mg/mL
--------------------	--------	-------	-----------

Dissociation Reagent	-EDTA
-----------------------------	-------

Doubling time	14-16
----------------------	-------

Subculturing	PBS	PB5%	2-3	/EDTA	T25	1	T75	3	37
---------------------	-----	------	-----	-------	-----	---	-----	---	----

Split ratio	1	5
--------------------	---	---

Seeding density	2	5x10 ⁴	/
------------------------	---	-------------------	---

Fluid renewal	2	3
----------------------	---	---

Post-Thaw Recovery	1:2	1:3	T25	24
---------------------------	-----	-----	-----	----

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

CHO-TACD2 | 305415

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR