

HEK293-FAP | 305419

Description	/					6,250
	HEK293-FAP	HEK293	FAP	123,000	inscreenex	
		FAP				

Organism

Tissue					
---------------	--	--	--	--	--

Disease	/	HEK293			
----------------	---	--------	--	--	--

Applications	FAP	CAF	ADC		
---------------------	-----	-----	-----	--	--

Age					
------------	--	--	--	--	--

Gender					
---------------	--	--	--	--	--

Morphology					
-------------------	--	--	--	--	--

Cell type					
------------------	--	--	--	--	--

Growth properties					
--------------------------	--	--	--	--	--

Citation	HEK293-FAP	Cytion	305419		
-----------------	------------	--------	--------	--	--

Biosafety level	1				
------------------------	---	--	--	--	--

NCBI_TaxID	9606				
-------------------	------	--	--	--	--

CellosaurusAccession	CVCL_6G23				
-----------------------------	-----------	--	--	--	--

HEK293-FAP | 305419

GMO Status	GMO-S1	HEK293	(FAP)
-------------------	--------	--------	-------

Receptors expressed	Seprase	DPPIV
----------------------------	---------	-------

Culture Medium	RPMI 1640 w 2.0 mM	w 2.0 g/L NaHCO3	Cytion	820700a
-----------------------	--------------------	------------------	--------	---------

Supplements	10% FBS	1 mM	10 mM HEPES	1% NEAA	G418-	1 mg/mL
--------------------	---------	------	-------------	---------	-------	---------

Dissociation Reagent	-EDTA
-----------------------------	-------

Doubling time	24-36
----------------------	-------

Subculturing	PBS	PBS5%	2-3	/EDTA	T25	1	T75	3	37°C
---------------------	-----	-------	-----	-------	-----	---	-----	---	------

Split ratio	1	5
--------------------	---	---

Seeding density	2	4×10^4	/
------------------------	---	-----------------	---

Fluid renewal	2	3
----------------------	---	---

Post-Thaw Recovery	1:2	1:3	T25	24
---------------------------	-----	-----	-----	----

Freeze medium	FBS +10% DMSO	CM-1	Cytion	800100	CM-1	Cytion	800100
----------------------	---------------	------	--------	--------	------	--------	--------

HEK293-FAP | 305419

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.			70%	
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR