

C17.2 | 305354

<b>Description</b>	C17.2	myc	C17.2
	C17.2		
	C17.2	CNS	C17.2

C17.2

**Organism**

**Tissue**

**Synonyms** C17

**Breed/Subspecies** C57BL/6 x CD-1

**Age**

**Gender**

**Cell type**

**Growth properties**

**Citation** C17.2 Cytion 305354

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellSaurusAccession** CVCL\_4511

**Oncogenes** v-Myc

**C17.2 | 305354**

<b>Culture Medium</b>	DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0	Cytion 820300a
-----------------------	--	----------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

<b>Subculturing</b>	PBS T25 3-5 PBS T75 5-10	Accutase T25 1-2 T75 2.5
---------------------	--------------------------	--------------------------

<b>Seeding density</b>	2 4x10 <sup>4</sup> /
------------------------	-----------------------

<b>Freeze medium</b>	FBS +10% DMSO CM-1 Cytion 800100	CM-1 Cytion 800100
----------------------	----------------------------------	--------------------

<b>Thawing and Culturing Cells</b>	1.		
	2.	-150°C	3
	3.	37°C	40-60
	4.	70%	
	5.	8	15
	6.	300 x g 3	
	7.	10	T25 T25
	8.		

<b>Incubation Atmosphere</b>	37°C, 5% CO <sub>2</sub>
------------------------------	--------------------------

<b>Flask Coating</b>	
----------------------	--

C17.2 | 305354

**Freezing Procedure** -78 °C

**Shipping Conditions** -78 °C

**Storage Conditions** -150 -196 -80 °C

/ **/HLA**

**Sterility** PCR