# Product sheet

## SCC-7 | 305622

| | |
|---|---|
| **Description** | SCC-7 SCC-VII C3H SCC-7 C<br>SCC-7 CCNU 1-(2- )-3- -1- SCC-7<br>SCC-7<br>SCC-7 |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Synonyms** | SCC-7 SCCVII/St SCCVII SCC VII |
| **Breed/Subspecies** | C3H |
| **Age** | |
| **Gender** | |
| **Morphology** | |
| **Growth properties** | |
| **Citation** | SCC-7 Cytion 305622 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10090 |
| **CellosaurusAccession** | CVCL_V412 |

## Product sheet

## SCC-7 | 305622

| | |
|---|---|
| **Culture Medium** | RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a |
| **Supplements** | 10% FBS |
| **Dissociation Reagent** | Accutase |
| **Seeding density** | 1 $3\times10^{4}$ / |
| **Fluid renewal** | 2 3 |
| **Freeze medium** | FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100 |
| **Thawing and Culturing Cells** | 1.<br>2. -150°C 3<br>3. 37°C 40-60<br>4. 70%<br>5. 8 15<br>6. 300 x g 3<br>7. 10 T25 T25<br>8. |
| **Incubation Atmosphere** | 37°C, 5% $_{CO2}$, |

## SCC-7 | 305622

| | | | | |
|---|---|---|---|---|
| **Flask Coating** | | | | |
| **Shipping Conditions** | | | | -78 °C |
| **Storage Conditions** | | -150 | -196 | -80 °C |
| **Sterility** | PCR | | | |