Product sheet

OVCAR-8-Luc | 305697

Description	OVCAR-8-Luc OVCAR-8 —— OVCAR-8-Luc
Organism	
Tissue	
Disease	
Metastatic site	
Applications	/ PARP
Synonyms	OVCAR 8, NIH:OVCAR-8, OVCAR8, Ovcar8, OVCAR.8, OVCA8, OVCAR-8/EGFP_LC3

Age	64
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Citation	OVCAR-8-Luc Cytion 305697
Biosafety level	1
NCBI_TaxID	9606

OVCAR-8-Luc | 305697

CellosaurusAccession	CVCL_2169
GMO Status	GMO-S1 OVCAR-8-Luc -Luc

Protein expression	
Antigen expression	Luc2

Culture Medium	RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	Accutase
Seeding density	1–3 × 10^4 /
Fluid renewal	2 3
Freeze medium	+10% DMSO

OVCAR-8-Luc | 305697

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 200 x g 5 7.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C