Product sheet

4T1-GFP | 305625

Description	4T1-GFP 4T1 GFP 4T1 BALB/c 4T1 GFP - - 4T1 4T1 CCL4 ZsGreen1 1–5 µg/mL S1/BSL-1
Organism	
Tissue	
Disease	
Metastatic site	BALB/c
Applications	GFP
Synonyms	4T1-A 4T1.0 4T1/WT

Age	
Gender	
Morphology	
Cell type	
Growth properties	

Citation	4T1-GFP Cytion 305625
Biosafety level	1

4T1-GFP | 305625

NCBI_TaxID	10090			
CellosaurusAccession	CVCL_0125			
GMO Status	GMO-S1	ZsGreen1	1–5 µg/mL	S1

Surface antigens	GFP
Antigen expression	ZsGreen1

Culture Medium	RPMI 1640 w 2.1 mM	w 2.0 g/L NaHCO3 Cytion	820700a
Supplements	10% FBS		
Dissociation Reagent	Accutase		
Doubling time	12.6		
Split ratio	1 3		
Seeding density	1 3×10^4 /		
Fluid renewal	2 3		
Freeze medium		+10% DMSO	

4T1-GFP | 305625

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 200 x g 5 7.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C