

Product sheet

CHO-FCGR2B | 305982

Description	/ 6,250									
	CHO-FCGR2B	CHO	Fcy	IIB	FcyRIIB	FCGR2B/CD32B		G	IgG	Fc
	CHO-FCGR2B	Fc				IgG	Fc			

Organism

Tissue										
--------	--	--	--	--	--	--	--	--	--	--

Disease FcyRIIB CD32B/FCGR2B

Applications	Fc	Fc	ADCP							
--------------	----	----	------	--	--	--	--	--	--	--

Age										
-----	--	--	--	--	--	--	--	--	--	--

Gender

Morphology										
------------	--	--	--	--	--	--	--	--	--	--

Cell type

Growth properties	/									
-------------------	---	--	--	--	--	--	--	--	--	--

Citation	CHO-FCGR2B	Cytion	305982							
----------	------------	--------	--------	--	--	--	--	--	--	--

Biosafety level 1

NCBI_TaxID	10029									
------------	-------	--	--	--	--	--	--	--	--	--

CellosaurusAccession CVCL_A8W4

Product sheet

CHO-FCGR2B | 305982

GMO Status	GMO-S1	CHO	FCGR2B
Receptors expressed	FCGR2B/CD32B		
Culture Medium	DMEM:Ham's F12 (1:1)	w: 3.1 g/L	w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3
	CHO	A	InSCREENeX InSCREENeX INS-ME-1039
Supplements	5% FBS	G418-	0.5 mg/mL
Dissociation Reagent	-EDTA		
Doubling time	14-16		
Subculturing		PBS	PBS 2-3 /EDTA T25 1 T75 3
Split ratio	1 5		
Seeding density	2 5×10 ⁴ /		
Fluid renewal	2 3		
Post-Thaw Recovery	1:2 1:3	T25	24
Freeze medium	FBS +10% DMSO	CM-1 Cytion	800100 CM-1 Cytion 800100

Thawing and Culturing Cells

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

Incubation Atmosphere

37°C, 5% CO₂,

Shipping Conditions

-78 °C

Storage Conditions

-150 -196 -80 °C

Sterility

PCR