Product sheet

K7M2 wt-Luc | 305684

Description	K7M2 wt-Luc K7M2 K7M2 BALB/c K7M2 wt-Luc BALB/c (BLI) K7M2 wt-Luc K7M2 C3 Fc γ I (FcgRI)
Organism	
Tissue	
Disease	
Metastatic site	
Applications	BALB/c C3 FcgRI
Synonyms	K7M2-WT, K7M2

Breed/Subspecies	BALB/c
Age	895
Gender	
Cell type	
Growth properties	

Citation	K7M2 wt-Luc Cytion 305684
Biosafety level	1
NCBI_TaxID	10090

Product sheet

K7M2 wt-Luc | 305684

CellosaurusAccession	K7M2 wt-Luc	K7M2	BALB/c	
GMO Status	GMO-S1		Luc2	1–5 µg/mL

Receptors expressed	C3 Fc IgG I Fcgr1
Antigen expression	Luc2
Tumorigenic	

Culture Medium	DMEM
Supplements	10% FBS
Dissociation Reagent	Accutase
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Split ratio	1 3
Seeding density	1 3×10^4 /
Fluid renewal	2 3
Freeze medium	+10% DMSO

K7M2 wt-Luc | 305684

Thawing and Culturing Cells	1. 2. -150°C 3 3. 37°C 40-60 4. 70% 5. 8 15 6. 200 x g 5 7.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C