

MS751 | 305115

<b>Description</b>	MS751					III	MS751
	MS751	HPV	MS751	HPV-18	MS751	HPV-45	E6/E7
	MS751		HPV		MS751	HPV	

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** MS-751, MS 751

**Age** 47

**Gender**

**Morphology**

**Growth properties**

**Citation** MS751 Cytion 305115

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_4996

**MS751 | 305115**

<b>Antigen expression</b>	AB Rh
---------------------------	-------

**Tumorigenic**

<b>Viruses</b>	HPV18 HPV45
----------------	-------------

<b>Culture Medium</b>	EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a
-----------------------	---

**Supplements** 10% FBS 1% NEAA 1.0 mM

<b>Dissociation Reagent</b>	Accutase
-----------------------------	----------

**Subculturing** PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

<b>Fluid renewal</b>	2 3
----------------------	-----

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

<b>Thawing and Culturing Cells</b>	1.										
	2.		-150°C					3			
	3.		37°C			40-60					
	4.			70%							
	5.		8	15							
	6.	300 x g	3								
	7.	10			T25			T25			
	8.										

MS751 | 305115

**Incubation  
Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing  
Procedure** -78 °C

**Shipping  
Conditions** -78 °C

**Storage  
Conditions** -150 -196 -80 °C

/ **/HLA**

**Sterility** PCR