

AR42J | 500478

<b>Description</b>	AR42J			AR42J
	AR42J	C		
	AR42J	AR42J	cerulein	cerulein
	AR42J			
	AR42J			

**Organism**

**Tissue**

**Disease**

<b>Synonyms</b>	AR4-2J, AR-42J
-----------------	----------------

**Morphology**

**Growth properties**

<b>Citation</b>	AR42J Cytion	500478
-----------------	--------------	--------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10116
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_0143
-----------------------------	-----------

**Receptors expressed**

AR42J | 500478

**Tumorigenic**

**Products**

**Culture Medium** DMEM w 4.5 / w 4 L- w 3.7 / NaHCO3 w 1.0 Cytion 820300a

**Supplements** 10% FBS

**Subculturing** 37 30 PBS PBS T25 3-5 PBS T75

**Seeding density**  $1 \times 10^4$  /

**Fluid renewal** 2 3

**Post-Thaw Recovery**  $4 \times 10^5$  48

**Freeze medium** FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

**Thawing and Culturing Cells**

- 1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
- 8.

AR42J | 500478

**Incubation  
Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing  
Procedure** -78 °C

**Shipping  
Conditions** -78 °C

**Storage  
Conditions** -150 -196 -80 °C

/ /HLA

**Sterility** PCR