

Product sheet

NCI-H3122 | 300484

Description	NCI-H3122	NSCLC	EML4-ALK	4	EML4	ALK		
	NCI-H3122		ALK	AKT	ERK		EGFR	
	NCI-H3122			ALK		ALK		NSCLC

Organism

Tissue

Disease

Synonyms NCI-H3122 H-3122 NCIH3122

Gender

Ethnicity

Growth properties

Citation NCI-H3122 Cytion 300484

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_5160

Product sheet

NCI-H3122 | 300484

Culture Medium	RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a
----------------	--

Supplements 10% FBS

Dissociation Reagent	Accutase
----------------------	----------

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
---------------	---

Thawing and Culturing Cells

-
- 150°C 3
- 37°C 40-60
- 70%
- 8 15
- 300 x g 3
- 10 T25 T25
-

Incubation Atmosphere	37°C, 5% CO2
-----------------------	--------------

Flask Coating

Freezing Procedure	-78 °C
--------------------	--------

Shipping Conditions -78 °C

NCI-H3122 | 300484

**Storage
Conditions**

-150 -196 -80 °C

Sterility

PCR

STR

Amelogenin: x,x
CSF1PO: 11,12
D13S317: 10,12
D16S539: 11,12
D5S818: 11,12
D7S820: 8,12
TH01: 7,9,3
TPOX: 10,1
vWA: 16,16
D3S1358: 16,16
D21S11: 28 29
D18S51: 13,16
Penta E: 12,12
Penta D: 10,13
D8S1179: 13,15
FGA: 18,21

HLA

A*: '03:01:01
B*: '35:01:01
C*: '04:01:01
DRB1*: '13:01:01
DQA1*: '01:03:01
DQB1*: '06:03:01
DPB1*: '14:01:01
E: '01:03:02