

MNNG-HOS (CL #5) | 300289

Description	MNNG/HOS Cl #5 [R-1059-D]	HOS	0.01	/21	100%	-N'	-N-	MNNG	13
	MNNG/HOS Cl #5								

Organism	
Tissue	

Disease	
Synonyms	MNNG/HOS, MNNG-HOS, HOS-MNNG, HOS/MNNG, MNNGHOS, MNNG/HOS (Cl#5), MNNG/HOS Clone F-5, MNNG, R-1059-D, TE85, Te85, TE-85, HOS-TE85 Hos TE-85 HOS TE 85 HOS TE85 HOS (TE85) HOS(TE85) HOS (TE85 F5) MNNG-HOS (TE 85 F-5) TE-85 F-5 HOS-Te85 TE 85 T TE 85 ClF-5 TE-85 5

Age	13
------------	----

Gender	
Ethnicity	

Morphology	
Growth properties	

Citation	MNNG-HOS CL #5 Cytion 300289
-----------------	------------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_0439
-----------------------------	-----------

MNNG-HOS (CL #5) | 300289

Isoenzymes G6PD B

Tumorigenic

Culture Medium RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO₃ Cytion 820700a

Supplements 10% FBS

Dissociation Reagent Accutase

Subculturing PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5

Seeding density 1×10^4 /

Fluid renewal 2 3

Post-Thaw Recovery 4 5×10 24

Freeze medium FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100

MNNG-HOS (CL #5) | 300289

Thawing and Culturing Cells				
1.				
2.		-150°C		3
3.		37°C	40-60	
4.		70%		
5.		8	15	
6.	300 x g	3		
7.	10		T25	T25
8.				

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78 °C

Shipping Conditions -78 °C

Storage Conditions -150 -196 -80 °C

/ /HLA

Sterility PCR

MNNG-HOS (CL #5) | 300289

HLA

A*: '02:11:01
B*: '52:01:01
C*: '12:02:02
DRB1*: '15:02:01G, '16:02:01
DQA1*: '01:02:02, '01:03:01
DQB1*: '05:02:01, '05:03:01
DPB1*: '02:01:02
E: '01:01:01