Product sheet

NCI-H1299-RFP | 300272

Description	NCI-H1299 RFP DAPK1 CAGE RNA RNA TINAT TINATs DNA DAC SB939
Organism	
Tissue	
Disease	
Metastatic site	
Applications	DAPK1 DNMTi HDACi TINATs CAGE
Morphology	
Cell type	
Growth properties	

Citation	NCI-H1299-EGFP G418 DKFZ # P-1045 Cytion 300272
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_XB25
GMO Status	GMO-S1 NCI-H1299 DKFZ #P-1045 DAPK1 EGFP G418

NCI-H1299-RFP | 300272

Culture Medium	RPMI 1640 w 2.0 mM w 2.0 g/L NaHCO3 Cytion 820700a
Supplements	10% FBS
Dissociation Reagent	Accutase
Doubling time	24 36
Subculturing	PBS T25 3-5 PBS T75 5-10 Accutase T25 1-2 T75 2.5
Split ratio	1 5
Seeding density	1 3×10^4 /cm²
Fluid renewal	2 3
Freeze medium	FBS +10% DMSO CM-1 Cytion 800100 CM-1 Cytion 800100
Thawing and Culturing Cells	

1.
2. -150°C 3
3. 37°C 40-60
4. 70%
5. 8 15
6. 300 x g 3
7. 10 T25 T25
8.

NCI-H1299-RFP | 300272

Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	-78 °C
Shipping Conditions	-78 °C
Storage Conditions	-150 -196 -80 °C
Sterility	PCR